

REFERENCES: Regional Provenance and Petrofacies

- Hubert, J.F., 1960, Petrology of the Fountain and Lyons formations, Front Range, Colorado: Quarterly of the Colorado School of Mines, v. 55, n. 1, 242p.
- Middleton, G.V., 1960, Chemical composition of sandstones: Geological Society of America Bulletin, v. 71, p. 1011-1026.
- Chayes, F., 1962, Numerical correlation and petrographic variation: Journal of Geology, v. 70, p. 440-452.
- Dickinson, W.R., 1962, Petrology and diagenesis of Jurassic andesitic strata in central Oregon: American Journal of Science, v. 260, p. 481-500.
- Ferm, J.C., 1962, Petrology of some Pennsylvanian sedimentary rocks: Journal of Sedimentary Petrology, v. 32, p. 104-123.
- Hubert, J.F., 1962, A zircon-tourmaline-rutile maturity index and the interdependence of the composition of heavy mineral assemblages with the gross composition and texture of sandstones: Journal of Sedimentary Petrology, v. 32, p. 440-450.
- Milner, H.B. (ed.), 1962, Sedimentary petrography (4th. ed.): Macmillan, New York, v. 1, 643p., v. 2, 715p.
- Hayes, M.O., 1963, Petrology of Krebs subgroup (Pennsylvanian, Desmoinesian) of western Missouri: American Association of Petroleum Geologists Bulletin, v. 47, p. 1537-1551.
- Huckenholz, H.G., 1963, Mineral composition and texture in graywackes from the Harz Mountains (Germany) and in arkoses from the Auvergne (France): Journal of Sedimentary Petrology, v. 33, p. 914-918.
- Lerbekmo, J.F., 1963, Petrology of the Belly River Formation, southern Alberta foothills: Sedimentology, v. 2, p. 54-86.
- Ojakangas, R.W., 1963, Petrology and sedimentation of the Upper Cambrian Lamotte Sandstone in Missouri: Journal of Sedimentary Petrology, v. 33, p. 860-873.
- Pittman, E.D., 1963, Use of zoned plagioclase as an indicator of provenance: Journal of Sedimentary Petrology, v. 33, p. 380-386.
- Sarin, D.D., 1963, Petrography and origin of Peguan sandstones exposed at Chauk, Burma: Journal of Sedimentary Petrology, v. 33, p. 333-342.
- Chen, C.S., and Goodell, H.G., 1964, The petrology of Lower Pennsylvanian Sewanee Sandstone, Lookout Mountain, Alabama and Georgia: Journal of Sedimentary Petrology, v. 34, p. 46-72.
- Todd, T.W., 1964, Petrology of Pennsylvanian rocks, Bighorn basin, Wyoming: American Association of Petroleum Geologists Bulletin, v. 48, p. 1063-1090.
- Rapson, J.E., 1965, Petrography and derivation of Jurassic-Cretaceous rocks, southern Rocky Mountains, Canada: American Association of Petroleum Geologists Bulletin, v. 49, p. 1426-1452.
- Van der Plas, L., and Tobi, A.C., 1965, A chart for judging the reliability of point counting results: American Journal of Science, v. 263, p. 87-90.
- Boggs, S., 1966, Petrology of Minturn Formation, east-central

- Eagle County, Colorado: American Association of Petroleum Geologists Bulletin, v. 50, p. 1399-1422.
- Gazzi, P., 1966, Le arenarie del flysch sopracretaceo dell'Appennino modenese; correlazioni con il flysch di Monghidoro: Mineralogica e Petrografica Acta, v. 12, p. 69-97.
- Klein, G.deV., 1966, Dispersal and petrology of sandstones of Stanley-Jackfork boundary, Ouachita fold belt, Arkansas and Oklahoma: American Association of Petroleum Geologists Bulletin, v. 50, p. 308-326.
- Miller, D.N., 1966, Petrology of Pierce Canyon redbeds, Delaware basin, Texas and New Mexico: American Association of Petroleum Geologists Bulletin, v. 50, p. 283-307.
- Picard, M.D., 1966, Petrography of Red Peak Member, Chugwater Formation (Triassic), west-central Wyoming: Journal of Sedimentary Petrology, v. 36, p. 904-926.
- Tohill, B., and Picard, M.D., 1966, Stratigraphy and petrology of Crow Mountain Sandstone Member (Triassic), Chugwater Formation, northwestern Wyoming: American Association of Petroleum Geologists Bulletin, v. 50, p. 2547-2565.
- Blatt, H., 1967, Provenance interpretation and recycling of sediments: Journal of Sedimentary Petrology, v. 37, p. 1031-1044.
- Galehouse, J.S., 1967, Provenance and paleocurrents of the Paso Robles Formation, California: Geological Society of America Bulletin, v. 78, p. 951-978.
- Hubert, J.F., and Neal, W.J., 1967, Mineral composition and dispersal patterns of deep-sea sands in the western North Atlantic petrologic province: Geological Society of America Bulletin, v. 78, p. 749-772.
- Kohls, D.W., 1967, Petrology of the Simsboro Formation of northeast central Texas: Journal of Sedimentary Petrology, v. 37, p. 184-204.
- Boggs, S., 1968, Experimental study of rock fragments: Journal of Sedimentary Petrology, v. 38, p. 1326-1339.
- Dickinson, W.R., 1968, Sedimentation of volcanoclastic strata of the Pliocene Koromavua Group in northwest Viti Levu, Fiji: American Journal of Science, v. 266, p. 440-453.
- Lajoie, J., 1968, Dispersal and petrology of the Silurian Val Brilliant and Robitaille sandstones, Appalachians, Quebec: Journal of Sedimentary Petrology, v. 38, p. 643-647.
- Ojakangas, R.W., 1968, Cretaceous sedimentation, Sacramento Valley, California: Geological Society of America Bulletin, v. 79, p. 973-1008.
- Raam, A., 1968, Petrology and diagenesis of Broughton Sandstone (Permian), Kiama District, New South Wales: Journal of Sedimentary Petrology, v. 38, p. 319-331.
- Todd, T.W., and Monroe, W.A., 1968, Petrology of Domengine Formation (Eocene), at Potrero Hills and Rio Vista, California: Journal of Sedimentary Petrology, v. 38, p. 1024-1039.
- Brady, L.L., 1968, Stratigraphy and petrology of the Morrison Formation (Jurassic) of the Canon City, Colorado, area: Journal of Sedimentary Petrology, v. 39, p. 632-648.
- Lovell, J.P.B., 1969, Tyee Formation: undeformed turbidites and

- their lateral equivalents: mineralogy and paleogeography: Geological Society of America Bulletin, v. 80, p. 9-22.
- McCormick, C.D., and Picard, M.D., 1969, Petrology of Gartra Formation (Triassic), Uinta Mountain area, Utah and Colorado: Journal of Sedimentary Petrology, v. 39, p. 1484-1508.
- Speed, R.C., and Jones, T.A., 1969, Synorogenic quartz sandstone in the Jurassic mobile belt of western Nevada: Boyer Ranch Formation: Geological Society of America Bulletin, v. 80, p. 2551-2584.
- Suttner, L.J., 1969, Stratigraphic and petrographic analysis of Upper Jurassic-Lower Cretaceous Morrison and Kootenai Formations, southwest Montana: American Association of Petroleum Geologists Bulletin, v. 53, p. 1391-1410.
- Williams, P.L., 1969, Petrology of upper Precambrian and Paleozoic sandstones in the Pensacola Mountains, Antarctica: Journal of Sedimentary Petrology, v. 39, p. 1455-1465.
- Condie, K.C., Macke, J.E., and Reimer, T.O., 1970, Petrology and geochemistry of early Precambrian graywackes from the Fig Tree Group, South Africa: Geological Society of America Bulletin, v. 81, p. 2759-2776.
- Dickinson, W.R., 1970, Interpreting detrital modes of graywacke and arkose: Journal of Sedimentary Petrology, v. 40, p. 695-707.
- Duncan, J.R., and Kulm, L.D., 1970, Mineralogy, provenance, and dispersal history of late Quaternary deep-sea sands in Cascadia basin and Blanco fracture zone off Oregon: Journal of Sedimentary Petrology, v. 40, p. 874-887.
- Furer, L.C., 1970, Petrology and stratigraphy of nonmarine Upper Jurassic-Lower Cretaceous rocks of western Wyoming and southeastern Idaho: American Association of Petroleum Geologists Bulletin, v. 54, p. 2282-2302.
- Gilbert, W.G., and Dickinson, W.R., 1970, Stratigraphic variations in sandstone petrology, Great Valley sequence, central California coast: Geological Society of America Bulletin, v. 81, p. 949-954.
- Pittman, E.D., 1970, Plagioclase feldspar as an indicator of provenance in sedimentary rocks: Journal of Sedimentary Petrology, v. 40, p. 591-598.
- Ruxton, B.P., 1970, Labile quartz-poor sediments from young mountain ranges in northeast Papua: Journal of Sedimentary Petrology, v. 40, p. 1262-1270.
- Wagh, B., 1970, Petrology, provenance and silica diagenesis of the Penrith Sandstone (Lower Permian) of northwest England: Journal of Sedimentary Petrology, v. 40, p. 1226-1240.
- White, S.M., 1970, Mineralogy and geochemistry of continental shelf sediments off the Washington-Oregon coast: Journal of Sedimentary Petrology, v. 40, p. 38-54.
- Cameron, K.L., and Blatt, H., 1971, Durabilities of sand size schist and "volcanic" rock fragments during fluvial transport, Elk Creek, Black Hills, South Dakota: Journal of Sedimentary Petrology, v. 41, p. 565-576.
- Condie, K.C., and Snansiang, S., 1971, Petrology and geochemistry of the Duzel (Ordovician) and Gazelle (Silurian) formations, northern California: Journal of Sedimentary Petrology,

- v. 41, p. 741-751.
- Dickinson, W.R., 1971, Detrital modes of New Zealand graywackes: *Sedimentary Geology*, v. 5, p. 37-56.
- James, D.M.D., 1971, Petrography of the Plynlimon Group, west central Wales: *Sedimentary Geology*, v. 6, p. 255-270.
- Lumsden, D.N., Pittman, E.D., and Buchanan, R.S., 1971, Sedimentation and petrology of Spiro and Foster sands (Pennsylvanian), McAlester basin, Oklahoma: *American Association of Petroleum Geologists Bulletin*, v. 55, p. 254-266.
- Pryor, W.A., 1971, Petrology of Permian Yellow Sands of northeastern England and their North Sea basin equivalents: *Sedimentary Geology*, v. 6, p. 221-254.
- Tillman, R.W., 1971, Petrology and paleoenvironments, Robinson Member, Minturn Formation (Desmoinesian), Eagle basin, Colorado: *American Association of Petroleum Geologists Bulletin*, v. 55, p. 593-620.
- Wolf, K.H., 1971, Discussion of textural and compositional transitional stages between various lithic grain types (with a comment on "interpreting detrital modes of graywacke and arkose"): *Journal of Sedimentary Petrology*, v. 41, p. 328--332.
- Davies, D.K., 1972, Mineralogy, petrography and derivation of sands and silts of the continental slope, rise and abyssal plain of the Gulf of Mexico: *Journal of Sedimentary Petrology*, v. 42, p. 59-65.
- Dickinson, W.R., and Rich, E.I., 1972, Petrologic intervals and petrofacies in the Great Valley sequence, Sacramento Valley, California: *Geological Society of America Bulletin*, v. 83, p. 3007-3024.
- Li, Y.-H., 1972, Geochemical mass balance among lithosphere, hydrosphere, and atmosphere: *American Journal of Science*, v. 272, p. 119-137.
- Neasham, J.W., and Vondra, C.F., 1972, Stratigraphy and petrology of the Lower Eocene Willwood Formation, Bighorn Basin, Wyoming: *Geological Society of America Bulletin*, v. 83, p. 2167-2180.
- Ojakangas, R.W., 1972, Archean volcanogenic graywackes of the Vermillion district, northeastern Minnesota: *Geological Society of America Bulletin*, v. 83, p. 429-442.
- Balagopal, A.T., and Srivastava, V.K., 1973, Petrography and classification of arenites of the Chari Series in the Jurassic rocks of central Kutch, Gujarat (India): *Sedimentary Geology*, v. 10, p. 215-224.
- Gazzi, P., Zuffa, G.G., Gandolfi, G., and Paganelli, L., 1973, Provenienza e dispersione litoranea delle sabbie delle spiagge adriatiche fra le foci dell'Isonzo e del Foglia: inquadramento regionale: *Memorie della Societa Geologica Italiana*, v. 12, p. 1-37.
- Hayes, J.B., 1973a, Clay petrology of mudstones, Leg 18, Deep Sea Drilling Project: *Initial Reports of the Deep Sea Drilling Project*, v. 18, p. 903-914.
- Hayes, J.B., 1973b, Petrology of indurated sandstones, Leg 18, Deep Sea Drilling Project: *Initial Reports of the Deep Sea Drilling Project*, v. 18, p. 915-924.

- Mann, W.R., and Cavaroc, V.V., 1973, Composition of sand released from three source areas under humid, low relief weathering in the North Carolina piedmont: *Journal of Sedimentary Petrology*, v. 43, p. 870-881. (Also, see discussion and reply: v. 46, p. 1041-1047.)
- Pettijohn, F.J., Potter, P.E., and Siever, r., 1973, Sand and sandstone: Springer-Verlag, New York, 618p.
- Piper, D.J.W., 1973, The sedimentology of silt turbidites from the Gulf of Alaska: Initial Reports of the Deep Sea Drilling Project, v. 18, p. 847-867.
- Scheidegger, K.F., Kulm, L.D., and Piper, D.J.W., 1973, Heavy mineralogy of unconsolidated sands in northeastern Pacific sediments: Leg 18, Deep Sea Drilling Project: Initial Reports of the Deep Sea Drilling Project, v. 18, p. 877-887.
- Slatt, R.M., and Lew, A.B., 1973, Provenance of Quaternary sediments on the Labrador continental shelf and slope: *Journal of Sedimentary Petrology*, v. 43, p. 1054-1060.
- Andersen, D.W., and Picard, M.D., 1974, Evolution of synorogenic clastic deposits in the intermontane Uinta basin of Utah: *Society of Economic Paleontologists and Mineralogists Special Publication 22*, p. 167-189.
- Cleary, W.J., and Conolly, J.R., 1974, Hatteras deep-sea fan: *Journal of Sedimentary Petrology*, v. 44, p. 1140-1154.
- Crook, K.A.W., 1974, Lithogenesis and geotectonics: the significance of compositional variation in flysch arenites (graywackes): *Society of Economic Paleontologists and Mineralogists Special Publication 19*, p. 304-310.
- Galloway, W.E., 1974, Deposition and diagenetic alteration of sandstone in northeast Pacific arc-related basins: implications for graywacke genesis: *Geological Society of America Bulletin*, v. 85, p. 379-390.
- Howe, M.W., 1974, Nonmarine Neiva Formation (Pliocene?), upper Magdalena Valley, Colombia: regional tectonism: *Geological Society of America Bulletin*, v. 85, p. 1031-1042.
- Morris, R.C., 1974, Sedimentary and tectonic history of the Ouachita Mountains: *Society of Economic Paleontologists and Mineralogists Special Publication 22*, p. 120-142.
- Slatt, R.M., and Piper, D.J.W., 1974, Sand-silt petrology and sediment dispersal in the Gulf of Alaska: *Journal of Sedimentary Petrology*, v. 44, p. 1061-1071.
- Suttner, L.J., 1974, Sedimentary petrographic provinces: an evaluation: *Society of Economic Paleontologists and Mineralogists Special Publication 21*, p. 75-84.
- Thompson, R.W., 1974, Mineralogy of sands from the Bengal and Nicobar fans, sites 218 and 211, eastern Indian Ocean: Initial Reports of the Deep Sea Drilling Project, v. 22, p. 711-713.
- Werner, W.G., 1974, Petrology of the Cutler Formation (Pennsylvanian-Permian) near Gateway, Colorado, and Fisher Towers, Utah: *Journal of Sedimentary Petrology*, v. 44, p. 292-298.
- Whisonant, R.C., 1974, Petrology of the Chilhowee Group (Cambrian and Cambrian(?)) in central-eastern and southern Tennessee: *Journal of Sedimentary Petrology*, v. 44, p. 228-241.
- Ataman, G., and Gokcen, S.L., 1975, Determination of source and

- palaeoclimate from the comparison of grain and clay fractions in sandstones: a case study: *Sedimentary Geology*, v. 13, p. 81-107.
- Baillieul, T.A., 1975, A reconnaissance survey of the cover sands in the Republic of Botswana: *Journal of Sedimentary Petrology*, v. 45, p. 494-503.
- Bartolini, C., Malesani, P.G., Manetti, P., and Wezel, F.C., 1975, Sedimentology and petrology of Quaternary sediments from the Hellenic Trench, Mediterranean Ridge and the Nile Cone from D.S.D.P., Leg 13, cores: *Sedimentology*, v. 22, p. 205-236.
- Davies, D.K., and Ethridge, F.G., 1975, Sandstone composition and depositional environment: *American Association of Petroleum Geologists Bulletin*, v. 59, p. 239-264.
- Harrold, P.J., and Moore, J.C., 1975, Composition of deep-sea sands from marginal basins of the northwestern Pacific: *Initial Reports of the Deep Sea Drilling Project*, v. 31, p. 507-514.
- Hoskin, C.M., and Sundeen, D.A., 1975, Relationship between grain size of source rock and derived sediment, Biorka Island tonalite, southeastern Alaska: *Journal of Geology*, v. 83, p. 567-578.
- Kelling, G., Sheng, H., and Stanley, D.J., 1975, Mineralogic composition of sand-sized sediment on the outer margin off the mid-Atlantic states: assessments of the influence of the ancestral Hudson and other fluvial systems: *Geological Society of America Bulletin*, v. 86, p. 853-862.
- Schwab, F.L., 1975, Framework mineralogy and chemical composition of continental margin-type sandstone: *Geology*, v. 3, p. 487-490.
- Self, R.P., 1975, Petrologic changes in fluvial sediments in the Rio Nautla drainage basin, Veracruz, Mexico: *Journal of Sedimentary Petrology*, v. 45, p. 140-149. (Also, see discussion and reply: v. 46, p. 436-443.)
- Shukis, P.S., and Ethridge, F.G., 1975, A petrographic reconnaissance of sand size sediment upper St. Francis River, southeastern Missouri: *Journal of Sedimentary Petrology*, v. 45, p. 115-127.
- Walton, A.W., 1975, Zeolitic diagenesis in Oligocene volcanic sediments, Trans-Pecos Texas: *Geological Society of America Bulletin*, v. 86, p. 615-624.
- Ayalon, A., 1976, The mineralogy of detrital sediments along the western coast of Gulf of Elat: *Journal of Sedimentary Petrology*, v. 46, p. 743-752.
- Basu, A., 1976, Petrology of Holocene fluvial sand derived from plutonic source rocks: implications to paleoclimatic interpretation: *Journal of Sedimentary Petrology*, v. 46, p. 694-709.
- Cavaroc, V.V., and Mann, W.R., 1976, Reply to Discussion of Composition of sand released from three source areas under humid, low relief weathering in the North Carolina piedmont: *Journal of Sedimentary Petrology*, v. 46, p. 1046-1047.
- Fan, P.-F., 1976, Recent silts in the Santa Clara River drainage basin, southern California: a mineralogical investigation of

their origin and evolution: *Journal of Sedimentary Petrology*, v. 46, p. 802-812.

Graham, S.A., Ingersoll, R.V., and Dickinson, W.R., 1976, Common provenance for lithic grains in Carboniferous sandstones from Ouachita Mountains and Black Warrior basin: *Journal of Sedimentary Petrology*, v. 46, p. 620-632.

Kravitz, J.H., 1976, Textural and mineralogical characteristics of the surficial sediments of the Kane basin: *Journal of Sedimentary Petrology*, v. 46, p. 710-725.

Mallik, T.K., 1976, Shelf sediments of the Ganges delta with special emphasis on the mineralogy of the western part, Bay of Bengal, Indian Ocean: *Marine Geology*, v. 22, p. 1-32.

Rice, R.M., Gorsline, D.S., and Osborne, R.H., 1976, Relationships between sand input from rivers and the composition of sands from the beaches of southern California: *Sedimentology*, v. 23, p. 689-703.

Sahu, B.K., 1976, Mathematical theory of counting two-dimensional grains by line and ribbon methods: *Sedimentary Geology*, v. 16, p. 177-192.

Schluger, P.R., 1976, Petrology and origin of the red beds of the Perry Formation, New Brunswick, Canada, and Maine, USA: *Journal of Sedimentary Petrology*, v. 46, p. 22-37.

Schock, W.W., Jr., and Steidtmann, J.R., 1976, Relations between stream sediment and source-rock mineralogy, Piney Creek basin, Wyoming: *Sedimentary Geology*, v. 16, p. 281-297.

Schwab, F.L., 1976, Depositional environments, provenance, and tectonic framework: upper part of the late Precambrian Mount Rogers Formation, Blue Ridge province, southwestern Virginia: *Journal of Sedimentary Petrology*, v. 46, p. 3-13.

Stanley, K.O., 1976, Sandstone petrofacies in the Cenozoic High Plains sequence, eastern Wyoming and Nebraska: *Geological Society of America Bulletin*, v. 87, p. 297-309.

Stewart, R.J., 1976, Turbidites of the Aleutian abyssal plain: mineralogy, provenance, and constraints for Cenozoic motion of the Pacific plate: *Geological Society of America Bulletin*, v. 87, p. 793-808.

Turner, P., and Whitaker, J.H.McD., 1976, Petrology and provenance of Late Silurian fluvial sandstones from the Ringerike Group of Norway: *Sedimentary Geology*, v. 16, p. 45-68.

Van de Kamp, P.C., Leake, B.E., and Senior, A., 1976, The petrography and geochemistry of some Californian arkoses with application to identifying gneisses of metasedimentary origin: *Journal of Geology*, v. 84, p. 195-212.

Van Houten, F.B., 1976, Late Cenozoic volcanoclastic deposits, Andean foredeep, Colombia: *Geological Society of America Bulletin*, v. 87, p. 481-495.

Boles, J.R., and Coombs, D.S., 1977, Zeolitic facies alteration of sandstones in the Southland syncline, New Zealand: *American Journal of Science*, v. 277, p. 982-1012.

Campbell, J.S., and Clark, D.L., 1977, Pleistocene turbidites of the Canada Abyssal Plain of the Arctic Ocean: *Journal of Sedimentary Petrology*, v. 47, p. 657-670.

Combellick, R.A., and Osborne, R.H., 1977, Sources and petrology

- of beach sand from southern Monterey Bay, California:  
Journal of Sedimentary Petrology, v. 47, p. 891-907.
- Ethridge, F.G., 1977, Petrology, transport, and environment in isochronous Upper Devonian sandstone and siltstone units, New York: Journal of Sedimentary Petrology, v. 47, p. 53-65.
- Galehouse, J.J., 1977, Point counting, in Carver, R.E.(ed.), Procedures in sedimentary petrology: Wiley Interscience, New York, p. 69-94.
- Hoque, M., 1977, Petrographic differentiation of tectonically controlled Cretaceous sedimentary cycles, southeastern Nigeria: Sedimentary Geology, v. 17, p. 235-245.
- Mack, G.H., and Suttner, L.J., 1977, Paleoclimate interpretation from a petrographic comparison of Holocene sands and the Fountain Formation (Pennsylvanian) in the Colorado Front Range: Journal of Sedimentary Petrology, v. 47, p. 89-100.
- Mattis, A.F., 1977, Nonmarine Triassic sedimentation, central High Atlas Mountains, Morocco: Journal of Sedimentary Petrology, v. 47, p. 107-119.
- Schwab, F.L., 1977, Grandfather Mountain Formation: depositional environment, provenance, and tectonic setting of late Precambrian alluvium in the Blue Ridge of North Carolina: Journal of Sedimentary Petrology, v. 47, p. 800-810.
- Stewart, R.J., 1977, Neogene turbidite sedimentation in Komandorskiy Basin, western Bering Sea: American Association of Petroleum Geologists Bulletin, v. 62, p. 192-206.
- Walton, A.W., 1977, Petrology of volcanic sedimentary rocks, Vieja Group, southern Rim Rock country, Trans-Pecos Texas: Journal of Sedimentary Petrology, v. 47, p. 137-157.
- Breyer, J.A., and Bart, H.A., 1978, The composition of fluvial sands in a temperate semiarid region: Journal of Sedimentary Petrology, v. 48, p. 1311-1320.
- Blatt, H., 1978, Sediment dispersal from Vogelsberg basalt, Hessen, West Germany: Geologische Rundschau, v. 67, p. 1009-1015.
- Charles, R.G., and Blatt, H., 1978, Quartz, chert, and feldspars in modern fluvial muds and sands: Journal of Sedimentary Petrology, v. 48, p. 427-432.
- Connelly, W., 1978, Uyak Complex, Kodiak Islands, Alaska: a Cretaceous subduction complex: Geological Society of America Bulletin, v. 89, p. 755-769.
- Fillon, R.H., Ferguson, C., and Thomas, F., 1978, Cenozoic provenance and sediment cycling: Hamilton Bank, Labrador Shelf: Journal of Sedimentary Petrology, v. 48, p. 253-268.
- Higgs, R., 1978, Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins: Canadian Journal of Earth Sciences, v. 15, p. 1850--1860.
- Hiscott, R.N., 1978, Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic orogeny: Canadian Journal of Earth Sciences, v. 15, p. 1579-1597.
- Ingersoll, R.V., 1978, Petrofacies and petrologic evolution of the Late Cretaceous fore-arc basin, northern and central California: Journal of Geology, v. 86, p. 335-352.



- Korsch, R.J., 1978, Petrographic variations within thick turbidite sequences: an example from the late Paleozoic of eastern Australia: *Sedimentology*, v. 25, p. 247-265.
- Mack, G.H., 1978, The survivability of labile light-mineral grains in fluvial, aeolian and littoral marine environments: the Permian Cutler and Cedar Mesa Formations, Moab, Utah: *Sedimentology*, v. 25, p. 587-604.
- Mallik, T.K., 1978, Mineralogy of deep-sea sands of the Indian Ocean: *Marine Geology*, v. 27, p. 161-176.
- Mancini, E.A., Deeter, T.M., and Wingate, F.H., 1978, Upper Cretaceous arc-trile, Raukumara Peninsula: *New Zealand Journal of Geology and Geophysics*, v. 21, p. 189-197.
- Potter, P.E., 1978, Petrology and chemistry of modern big river sands: *Journal of Geology*, v. 86, p. 423-449.
- Shannon, P.M., 1978, The petrology of some lower Paleozoic greywackes from southeast Ireland: a clue to the origin of the matrix: *Journal of Sedimentary Petrology*, v. 48, p. 1185-1192.
- Sibley, D.F., and Pentony, K.J., 1978, Provenance variation in turbidite sediments, Sea of Japan: *Journal of Sedimentary Petrology*, v. 48, p. 1241-1248.
- Stewart, R.J., 1978, Neogene volcanoclastic sediments from Atka Basin, Aleutian Ridge: *American Association of Petroleum Geologists Bulletin*, v.63, p. 87-97.
- Suttner, L.J., and Mack, G.H., 1978, Reply to Discussion of Paleoclimate interpretation from a petrographic comparison of Holocene sands and the Fountain Formation (Pennsylvanian) in the Colorado Front Range: *Journal of Sedimentary Petrology*, v. 48, p. 1013-1016.
- Walker, T.R., 1978, Discussion of Paleoclimate interpretation from a petrographic comparison of Holocene sands and the Fountain Formation (Pennsylvanian) in the Colorado Front Range: *Journal of Sedimentary Petrology*, v. 48, p. 1011-1013.
- Walker, T.R., Waugh, B., and Crone, A.J., 1978, Diagenesis in first-cycle desert alluvium of Cenozoic age, southwestern United States and northwestern Mexico: *Geological Society of America Bulletin*, v. 89, p. 19-32.
- Winn, R.D., Jr., 1978, Upper Mesozoic flysch of Tierra del Fuego and South Georgia Island: a sedimentologic approach to lithospheric plate restoration: *Geological Society of America Bulletin*, v. 89, p. 533-547.
- Burns, L.K., and Ethridge, F.G., 1979, Petrology and diagenetic effects of lithic sandstones: Paleocene and Eocene Umpqua Formation, southwest Oregon: *Society of Economic Paleontologists and Mineralogists Special Publication 26*, p. 307-317.
- Davies, D.K., Almon, W.R., Bonis, S.B., and Hunter, B.E., 1979, Deposition and diagenesis of Tertiary-Holocene volcanoclastics, Guatemala: *Society of Economic Paleontologists and Mineralogists Special Publication 26*, p. 281-306.
- Dickinson, W.R., and Shutler, R., Jr., 1979, Petrography of sand tempers in Pacific Islands potsherds: *Geological Society of America Bulletin*, v. 90, Part I, p. 993-995, Part II,

- p. 1644-1701.
- Dickinson, W.R., and Suczek, C.A., 1979, Plate tectonics and sandstone compositions: American Association of Petroleum Geologists Bulletin, v. 63, p. 2164-2182.
- Dickinson, W.R., Helmold, K.P., and Stein, J.A., 1979, Mesozoic lithic sandstones in central Oregon: Journal of Sedimentary Petrology, v. 49, p. 501-516.
- Dickinson, W.R., Ingersoll, R.V., and Graham, S.A., 1979, Paleogene sediment dispersal and paleotectonics in northern California: Geological Society of America Bulletin, v. 90, Part I, p. 897-898, Part II, p. 1458-1528.
- Dypvik, H., and Vollset, J., 1979, Petrology and diagenesis of Jurassic sandstones from Norwegian Danish basin, North Sea: American Association of Petroleum Geologists Bulletin, v. 63, p. 182-193.
- Galloway, W.E., 1979, Diagenetic control of reservoir quality in arc-derived sandstones: implications for petroleum exploration: Society of Economic Paleontologists and Mineralogists Special Publication 26, p. 251-262.
- Gorham, T.W., and Ingersoll, R.V., 1979, Evolution of the Eocene Galisteo basin, north-central New Mexico: New Mexico Geological Society Guidebook 30, p. 219-224.
- Hitching, K.D., 1979, Torlesse geology of Kakahu, South Canterbury: New Zealand Journal of Geology and Geophysics, v. 22, p. 185-191.
- Ingersoll, R.V., and Suczek, C.A., 1979, Petrology and provenance of Neogene sand from Nicobar and Bengal fans, DSDP sites 211 and 218: Journal of Sedimentary Petrology, v. 49, p. 1217-1228.
- Klein, G.DeV., Okada, H., and Mitsui, K., 1979, Slope sediments in small basins associated with a Neogene active margin, western Hokkaido Island, Japan: Society of Economic Paleontologists and Mineralogists Special Publication 27, p. 359-374.
- Mansfield, C.F., 1979, Upper Mesozoic subsea fan deposits in the southern Diablo Range, California: record of the Sierra Nevada magmatic arc: Geological Society of America Bulletin, v. 90, Part I, p. 1025-1046.
- McLean, H., 1979, Sandstone petrology: Upper Jurassic Naknek Formation of the Alaska Peninsula and coeval rocks on the Bering shelf: Journal of Sedimentary Petrology, v. 49, p. 1263-1268.
- Misko, R.M., and Hendry, H.E., 1979, The petrology of sands in the uppermost Cretaceous and Palaeocene of southern Saskatchewan: a study of composition influenced by grain size, source area, and tectonics: Canadian Journal of Earth Sciences, v. 16, p. 38-49.
- Moore, G.F., 1979, Petrography of subduction zone sandstones from Nias Island, Indonesia: Journal of Sedimentary Petrology, v. 49, p. 71-84.
- Morris, R.C., Proctor, K.E., and Koch, M.R., 1979, Petrology and diagenesis of deep-water sandstones, Ouachita Mountains, Arkansas and Oklahoma: Society of Economic Paleontologists and Mineralogists 26, p. 263-279.

Morton, A.C., 1979, Depth control of intrastratal solution of heavy minerals from the Palaeocene of the North Sea: *Journal of Sedimentary Petrology*, v. 49, p. 281-286.

Odom, I.E., Willand, T.N., and Lassin, R.J., 1979, Paragenesis of diagenetic minerals in the St. Peter Sandstone (Ordovician), Wisconsin and Illinois: *Society of Economic Paleontologists and Mineralogists Special Publication 26*, p. 425-443.

Powers, L.S., Brueckner, H.K., and Krinsley, D.H., 1979, Rb-Sr provenance ages from weathered and stream transported quartz grains from the Harney Peak Granite, Black Hills, South Dakota: *Geochimica et Cosmochimica Acta*, v. 43, p. 137-146.

Ricketts, B.D., 1979, Petrology and provenance of Pleistocene deposits in the south Parengarenga-Te Kao district, northern New Zealand: *New Zealand Journal of Geology and Geophysics*, v. 22, p. 21-27.

Scholle, P.A., and Schluger, P.R.(eds.), 1979, Aspects of diagenesis: *Society of Economic Paleontologists and Mineralogists Special Publication 26*, 443p.

Siever, R., 1979, Plate-tectonic controls on diagenesis: *Journal of Geology*, v. 87, p. 127-155.

Smith, G.W., Howell, D.G., and Ingersoll, R.V., 1979, Late Cretaceous trench-slope basins of central California: *Geology*, v. 7, p. 303-306. (Also, see comment and reply: v. 7, p. 514-515.)

Stanley, D.J., Sheng, H., and Kholief, M.M., 1979, Sand on the southern Mediterranean Ridge: proximal basement and distal African-Nile provenance: *Nature*, v. 279, p. 594-598.

Surdam, R.C., and Boles, J.R., 1979, Diagenesis of volcanic sandstones: *Society of Economic Paleontologists and Mineralogists Special Publication 26*, p. 227-242.

Turnbull, I.M., 1979, Stratigraphy and sedimentology of the Caples terrane of the Thomson Mountains, northern Southland, New Zealand: *New Zealand Journal of Geology and Geophysics*, v. 22, p. 555-574.

Walton, A.W., 1979, Volcanic sediment apron in the Tascotal Formation (Oligocene?), Trans-Pecos Texas: *Journal of Sedimentary Petrology*, v. 49, p. 303-314.

Barrows, K.J., 1980, Zeolitization of Miocene volcanoclastic rocks, southern Desatoya Mountains, Nevada: *Geological Society of America Bulletin*, v. 91, p. 199-210.

Beaulieu, J., Lajoie, J., and Hubert, C., 1980, Provenance et modele de depot de la Formation de la Riviere Nicolet: flysch taconique du Domaine autochtone et du Domaine externe des Appalaches du Quebec: *Canadian Journal of Earth Sciences*, v. 17, p. 855-865.

Bond, G.C., and Devay, J.C., 1980, Pre-Upper Devonian quartzose sandstones in the Shoo Fly Formation northern California--petrology, provenance and implications for regional tectonics: *Journal of Geology*, v. 88, p. 285-308.

Carver, R.E., 1980, Petrology of Paleocene-Eocene and Miocene opaline sediments, southeastern Atlantic coastal plain: *Journal of Sedimentary Petrology*, v. 50, p. 569-582.

Dickinson, W.R., and Valloni, R., 1980, Plate settings and provenance of sands in modern ocean basins: *Geology*, v. 8,

- p. 82-86.
- Force, E.R., 1980, The provenance of rutile: *Journal of Sedimentary Petrology*, v. 50, p. 485-488.
- Houseknecht, D.W., 1980, Comparative anatomy of a Pottsville lithic arenite and quartz arenite of the Pochahontas basin, southern West Virginia: petrogenetic, depositional, and stratigraphic implications: *Journal of Sedimentary Petrology*, v. 50, p. 3-20.
- Iijima, A., Matsumoto, R., and Tada, R., 1980, Zeolite and silica diagenesis and sandstone petrography at sites 438 and 439 off Sanriku, northwest Pacific, Leg 57, Deep Sea Drilling Project: Initial Reports of the Deep Sea Drilling Project, v. 56 and 57, p. 1143-1158.
- Larue, D.K., and Sloss, L.L., 1980, Early Proterozoic sedimentary basins of the Lake Superior region: *Geological Society of America Bulletin*, v. 91, Part I, p. 450-452, Part II, p. 1836-1874.
- Link, M.H., and Nilsen, T.H., 1980, The Rocks Sandstone, an Eocene sand-rich deep-sea fan deposit northern Santa Lucia Range, California: *Journal of Sedimentary Petrology*, v. 50, p. 583-602.
- MacKinnon, T.C., 1980, Geology of Monotis-bearing Torlesse rocks in Temple basin near Arthur's Pass, South Island, New Zealand: *New Zealand Journal of Geology and Geophysics*, v. 23, p. 63-81.
- Mann, U., and Muller, G., 1980, Composition of sediments of the Japan Trench transect, Legs 56 and 57, Deep Sea Drilling Project: Initial Reports of the Deep Sea Drilling Project, v. 56 and 57, p. 939-977.
- Miki, T., and Takahashi, R., 1980, Heavy-mineral analysis of sediments from the Deep Sea Drilling Project transect of the Japan Trench, Legs 56 and 57: Initial Reports of the Deep Sea Drilling Project, v. 56 and 57, p. 1019-1025.
- Murdmaa, I., and Kazakova, V., 1980, Course(sic)-silt-fraction mineralogy of Japan Trench sediments, Deep Sea Drilling Project legs 56 and 57: Initial Reports of the Deep Sea Drilling Project, v. 56 and 57, p. 1005-1009.
- Parkash, B., Sharma, R.P., and Roy, A.K., 1980, The Siwalik Group (molasse) - sediments shed by collision of continental plates: *Sedimentary Geology*, v. 25, p. 127-159.
- Reilly, M.B., Breyer, J.A., and Oldow, J.S., 1980, Petrographic provinces and provenance of the Upper Triassic Luning Formation, west-central Nevada: *Geological Society of America Bulletin*, v. 91, Part I, p. 573-575, Part II, p. 2112-2151.
- Velbel, M.A., 1980, Petrography of subduction zone sandstone-a discussion: *Journal of Sedimentary Petrology*, v. 50, p. 303-304.
- Zuffa, G.G., Gaudio, W., and Rovito, S., 1980, Detrital mode evolution of the rifted continental-margin Longobucco Sequence (Jurassic), Calabrian arc, Italy: *Journal of Sedimentary Petrology*, v. 50, p. 51-61.
- Alam, M., and Piper, D.J.W., 1981, Detrital mineralogy and petrology of deep-water continental margin sediments off

- Newfoundland: Canadian Journal of Earth Sciences, v. 18, p. 1336-1345.
- Basu, A., 1981, Weathering before the advent of land plants:- evidence from unaltered detrital K-feldspar in Cambro--Ordovician arenites: *Geology*, v. 9, p. 132-133. (Also, see Comment and Reply: p. 505-506.)
- Bhatia, M.R., and Taylor, S.R., 1981, Trace-element geochemistry and sedimentary provinces: a study from the Tasman geosyncline, Australia: *Chemical Geology*, v. 33, p. 115-125.
- Breyer, J.A., and Ehlmann, A.J., 1981, Mineralogy of arc-derived sediment on the insular shelf of Puerto Rico: *Sedimentology*, v. 28, p. 61-74.
- Hunter, J.C., and Ingersoll, R.V., 1981, Canas Gypsum Member of Yeso Formation (Permian) in New Mexico: *New Mexico Geology*, v. 3, p. 49-53.
- Kolla, V., Kostecky, J.A., Robinson, F., and Biscaye, P.E., 1981, Distribution and origins of clay minerals and quartz in surface sediments of the Arabian Sea: *Journal of Sedimentary Petrology*, v. 51, p. 563-569.
- Korsch, R.J., 1981, Some tectonic implications of sandstone petrofacies in the Coffs Harbour Association, New England orogen, New South Wales: *Journal of the Geological Society of Australia*, v. 28, p. 261-269.
- Larue, D.K., 1981, The early Proterozoic pre-iron-formation Menominee Group siliciclastic sediments of the southern Lake Superior region: evidence for sedimentation in platform and basinal settings: *Journal of Sedimentary Petrology*, v. 51, p. 397-414.
- Larue, D.K., 1981, The Chocoyay Group, Lake Superior region, U.S.A.: sedimentologic evidence for deposition in basinal and platform settings on an early Proterozoic craton: *Geological Society of America Bulletin*, v. 92, Part I, p. 417-435.
- Mack, G.H., 1981, Composition of modern stream sand in a humid climate derived from a low-grade metamorphic and sedimentary foreland fold-thrust belt of north Georgia: *Journal of Sedimentary Petrology*, v. 51, p. 1247-1258.
- Mack, G.H., James, W.C., and Thomas, W.A., 1981, Orogenic provenance of Mississippian sandstones associated with southern Appalachian-Ouachita orogen: *American Association of Petroleum Geologists Bulletin*, v. 65, p. 1444-1456.
- McCarley, A.B., 1981, Metamorphic terrane favored over Rocky Mountains as source of Claiborne Group, Eocene, Texas Coastal Plain: *Journal of Sedimentary Petrology*, v. 51, p. 1267-1276.
- McLean, H., 1981, Reservoir properties of submarine-fan facies: Great Valley sequence, California: *Journal of Sedimentary Petrology*, v. 51, p. 865-872.
- Mellor, E.I., and Breyer, J.A., 1981, Petrology of late Paleozoic basin-fill sandstones, north-central Mexico: *Geological Society of America Bulletin*, v. 92, Part I, p. 367-373.
- Moss, A.J., Green, P., and Hutka, J., 1981, Static breakage of granitic detritus by ice and water in comparison with breakage by flowing water: *Sedimentology*, v. 28, p. 261-272.

- Peterman, Z.E., Coleman, R.G., and Bunker, C.M., 1981, Provenance of Eocene graywackes of the Flournoy Formation near Agness, Oregon—a geochemical approach: *Geology*, v. 9, p. 81-86. (Also, see Comment: v. 10, p. 333-334.)
- Rowley, D.B., and Kidd, W.S.F., 1981, Stratigraphic relationships and detrital composition of the medial Ordovician flysch of western New England: implications for the tectonic evolution of the Taconic orogeny: *Journal of Geology*, v. 89, p. 199--218. (Also, see Comments and Replies: v. 90, p. 219-233.)
- Schwab, F.L., 1981, Evolution of the western continental margin, French-Italian Alps: sandstone mineralogy as an index of plate tectonic setting: *Journal of Geology*, v. 89, p. 349--368.
- Slatt, R.M., and Eyles, N., 1981, Petrology of glacial sand: implications for the origin and mechanical durability of lithic fragments: *Sedimentology*, v. 28, p. 171-183.
- Suttner, L.J., Schwartz, R.K., and James, W.C., 1981, Late Mesozoic to early Cenozoic foreland sedimentation in southwest Montana: *Montana Geological Society Field--Conference Guidebook*, p. 93-103.
- Thomann, W.F., 1981, Ignimbrites, trachytes, and sedimentary rocks of the Precambrian Thunderbird Group, Franklin Mountains, El Paso, Texas: *Geological Society of America Bulletin*, v. 92, Part I, p. 94-100.
- Valloni, R., and Maynard, J.B., 1981, Detrital modes of recent deep-sea sands and their relation to tectonic setting: a first approximation: *Sedimentology*, v. 28, p. 75-83.
- Bachman, S.B., and Leggett, J.K., 1982, Petrology of Middle America Trench and trench slope sands, Guerrero margin, Mexico: *Initial Reports of the Deep Sea Drilling Project*, v. 66, p. 429-436.
- Dickinson, W.R., 1982, Compositions of sandstones in circum--Pacific subduction complexes and fore-arc basins: *American Association of Petroleum Geologists Bulletin*, v. 66, p. 121-137.
- Dickinson, W.R., Ingersoll, R.V., Cowan, D.S., Helmold, K.P., and Suczek, C.A., 1982, Provenance of Franciscan graywackes in coastal California: *Geological Society of America Bulletin*, v. 93, p. 95-107. (Also, see Corrections, p. 1306.)
- Enkeboll, R.H., 1982, Petrology and provenance of sands and gravels from the Middle America Trench and trench slope, southwestern Mexico and Guatemala: *Initial Reports of the Deep Sea Drilling Project*, v. 66, p. 521-530.
- Gooding, J.L., 1982, Petrology of dune sand derived from basalt on the Ka'u Desert, Hawaii: *Journal of Geology*, v. 90, p. 97-108.
- Leggett, J.K. (ed.), 1982, Trench-forearc geology: sedimentation and tectonics on modern and ancient active plate margins:--*Geological Society of London Special Publication 10*, 576p.
- Lopez, C.M., 1982, Petrography and diagenesis of sands and sandstones, Deep Sea Drilling Project Leg 66: *Initial Reports of the Deep Sea Drilling Project*, v. 66, p. 505-520.
- Ward, P., and Stanley, K.O., 1982, The Haslam Formation: a late Santonian-early Campanian forearc basin deposit in the

- Insular Belt of southwestern British Columbia and adjacent Washington: *Journal of Sedimentary Petrology*, v. 52, p. 975-990.
- Ayres, L.D., 1983, Bimodal volcanism in Archean greenstone belts exemplified by greywacke composition, Lake Superior Park, Ontario: *Canadian Journal of Earth Sciences*, v. 20, p. 1168-1194.
- Bahk, K.S., and Chough, S.K., 1983, Provenance of turbidites in the Ulleung (Tsushima) back-arc basin, East Sea (Sea of Japan): *Journal of Sedimentary Petrology*, v. 53, p. 1331-1336.
- Bhatia, M.R., 1983, Plate tectonics and geochemical composition of sandstones: *Journal of Geology*, v. 91, p. 611-627. (Also, see discussion and reply: v. 93, p. 81-87.)
- Breyer, J.A., 1983, Sandstone petrology: a survey for the exploration and production geologist: *The Mountain Geologist*, v. 20, p. 15-40.
- Cawood, P.A., 1983, Modal composition and detrital clinopyroxene geochemistry of lithic sandstones from the New England fold belt (east Australia): a Paleozoic forearc terrane: *Geological Society of America Bulletin*, v. 94, p. 1199-1214.
- Condie, K.C., and Martell, C., 1983, Early Proterozoic meta-sediments from north-central Colorado: metamorphism, provenance, and tectonic setting: *Geological Society of America Bulletin*, v. 94, p. 1215-1224. (Also, see discussion and reply: v. 95, p. 985-986.)
- Dickinson, W.R., Beard, L.S., Brakenridge, G.R., Erjavec, J.L., Ferguson, R.C., Inman, K.F., Knepp, R.A., Lindberg, F.A., and Ryberg, P.T., 1983, Provenance of North American Phanerozoic sandstones in relation to tectonic setting: *Geological Society of America Bulletin*, v. 94, p. 222-235.
- Dickinson, W.R., Harbaugh, D.W., Saller, A.H., Heller, P.L., and Snyder, W.S., 1983, Detrital modes of upper Paleozoic sandstones derived from Antler orogen in Nevada: implications for nature of Antler orogeny: *American Journal of Science*, v. 283, p. 481-509.
- Franzinelli, E., and Potter, P.E., 1983, Petrology, chemistry, and texture of modern river sands, Amazon River system: *Journal of Geology*, v. 91, p. 23-39.
- Freeman, T., Rothbard, D., and Obrader, A., 1983, Terrigenous dolomite in the Miocene of Menorca (Spain): provenance and diagenesis: *Journal of Sedimentary Petrology*, v. 53, p. 543-548.
- Gandolfi, G., Paganelli, L., and Zuffa, G.G., 1983, Petrology and dispersal pattern in the Marnoso-Arenacea Formation (Miocene, Northern Apennines): *Journal of Sedimentary Petrology*, v. 53, p. 493-507.
- Heller, P.L., and Ryberg, P.T., 1983, Sedimentary record of subduction to forearc transition in the rotated Eocene basin of western Oregon: *Geology*, v. 11, p. 380-383.
- Ingersoll, R.V., 1983, Petrofacies and provenance of late Mesozoic forearc basin, northern and central California: *American Association of Petroleum Geologists Bulletin*, v. 67, p. 1125-1142.

- Kies, R.P., and Abbott, P.L., 1983, Rhyolite clast populations and tectonics in the California continental borderland: *Journal of Sedimentary Petrology*, v. 53, p. 461-475.
- Larue, D.K., and Speed, R.C., 1983, Quartzose turbidites of the accretionary complex of Barbados, I: Chalky Mount succession: *Journal of Sedimentary Petrology*, v. 53, p. 1337-1352.
- Mack, G.H., Thomas, W.A., and Horsey, C.A., 1983, Composition of Carboniferous sandstones and tectonic framework of southern Appalachian-Ouachita orogen: *Journal of Sedimentary Petrology*, v. 53, p. 931-946.
- MacKinnon, T.C., 1983, Origin of the Torlesse terrane and coeval rocks, South Island, New Zealand: *Geological Society of America Bulletin*, v. 94, p. 967-985. (Also, see discussion and reply: v. 95, p. 980-982.)
- Mathisen, M.E., and Vondra, C.F., 1983, The fluvial and pyroclastic deposits of the Cagayan basin, northern Luzon, Philippines--an example of non-marine volcanoclastic sedimentation in an interarc basin: *Sedimentology*, v. 30, p. 369-392.
- Mathisen, M.E., and Vondra, C.F., 1983, Provenance of the Plio-Pleistocene sediments in the East Turkana basin, northern Kenya: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 44, p. 141-168.
- Moore, J.C., Byrne, T., Plumley, P.W., Reid, M., Gibbons, H., and Coe, R.S., 1983, Paleogene evolution of the Kodiak Islands, Alaska: consequences of ridge-trench interaction in a more southerly latitude: *Tectonics*, v. 2, p. 265-293.
- Plymate, T.G., and Suttner, L.J., 1983, Evaluation of optical and x-ray techniques for detecting source-rock-controlled variation in detrital potassium feldspars: *Journal of Sedimentary Petrology*, v. 53, p. 509-519.
- Seiders, V.M., 1983, Correlation and provenance of upper Mesozoic chert-rich conglomerate of California: *Geological Society of America Bulletin*, v. 94, p. 875-888.
- Al-Bakri, D., Khalaf, F., and Al-Ghadban, A., 1984, Mineralogy, genesis, and sources of surficial sediments in the Kuwait marine environment, northern Arabian Gulf: *Journal of Sedimentary Petrology*, v. 54, p. 1266-1279.
- Cleary, W.J., Curran, H.A., and Thayer, P.A., 1984, Barbados Ridge: inner trench slope sedimentation: *Journal of Sedimentary Petrology*, v. 54, p. 527-540.
- Darby, D.A., 1984, Trace elements in ilmenite: a way to discriminate provenance or age in coastal sands: *Geological Society of America Bulletin*, v. 95, p. 1208-1218.
- Ekas, L.M., Ingersoll, R.V., Baldrige, W.S., and Shafiqullah, M., 1984, The Chama-El Rito Member of the Tesuque Formation, Espanola basin, New Mexico: *New Mexico Geological Society Guidebook 35*, p. 137-143.
- Girty, G.H., and Wardlaw, M.S., 1984, Was the Alexander terrane a source of feldspathic sandstones in the Shoo Fly Complex, Sierra Nevada, California: *Geology*, v. 12, p. 339-342.
- Hiscott, R.N., 1984, Ophiolitic source rocks for Taconic-age flysch: trace-element evidence: *Geological Society of America Bulletin*, v. 95, p. 1261-1267. (Also, see discus-



- sion and reply: v. 96, p. 1221-1222.)
- Ingersoll, R.V., Bullard, T.F., Ford, R.L., Grimm, J.B., Pickle, J.D., and Sares, S.W., 1984, The effect of grain size on detrital modes: a test of the Gazzi-Dickinson point-counting method: *Journal of Sedimentary Petrology*, v. 54, p. 103--116. (Also, see discussions and replies: v. 55, p. 616--621.)
- Johnson, S.Y., 1984, Evidence for a margin-truncating transcurrent fault (pre-late Eocene) in western Washington: *Geology*, v. 12, p. 538-541.
- Jones, R.L., and Blatt, H., 1984, Mineral dispersal patterns in the Pierre Shale: *Journal of Sedimentary Petrology*, v. 54, p. 17-28.
- Korsch, R.J., 1984, Sandstone compositions from the New England orogen, eastern Australia: implications for tectonic setting: *Journal of Sedimentary Petrology*, v. 54, p. 192--211.
- Mack, G.H., 1984, Exceptions to the relationship between plate tectonics and sandstone composition: *Journal of Sedimentary Petrology*, v. 54, p. 212-220.
- Maynard, J.B., 1984, Composition of plagioclase feldspar in modern deep-sea sands: relationship to tectonic setting: *Sedimentology*, v. 31, p. 493-501.
- Mazzullo, J., and Withers, K.D., 1984, Sources, distribution, and mixing of Late Pleistocene and Holocene sands on the south Texas continental shelf: *Journal of Sedimentary Petrology*, v. 54, p. 1319-1334.
- Mazzullo, J., Ehrlich, R., and Hemming, M.A., 1984, Provenance and areal distribution of Late Pleistocene and Holocene quartz sand on the southern New England continental shelf: *Journal of Sedimentary Petrology*, v. 54, p. 1335-1348.
- McLennan, S.M., 1984, Petrological characteristics of Archean graywackes: *Journal of Sedimentary Petrology*, v. 54, p. 889-898.
- Minnis, N.M., 1984, An automatic point-counting method for mineralogical assessment: *American Association of Petroleum Geologists Bulletin*, v. 68, p. 744-752.
- Morad, S., 1984, Diagenetic matrix in Proterozoic graywackes from Sweden: *Journal of Sedimentary Petrology*, v. 54, p. 1157--1168.
- Pacht, J.A., 1984, Petrologic evolution and paleogeography of the Late Cretaceous Nanaimo basin, Washington and British Columbia: implications for Cretaceous tectonics: *Geological Society of America Bulletin*, v. 95, p. 766-778.
- Potter, P.E., 1984, South American modern beach sand and plate tectonics: *Nature*, v. 311, p. 645-648.
- Seiders, V.M., and Blome, C.D., 1984, Clast compositions of upper Mesozoic conglomerates of the California Coast Ranges and their tectonic significance, in Blake, M.C., Jr. (ed.), *Franciscan geology of northern California*: Pacific Section, Society of Economic Paleontologists and Mineralogists, p. 135-148.
- Valloni, R., and Mezzadri, G., 1984, Compositional suites of terrigenous deep-sea sands of the present continental

- margins: *Sedimentology*, v. 31, p. 353-364.
- Valloni, R., and Zuffa, G.G., 1984, Provenance changes for arenaceous formations of the northern Apennines, Italy: *Geological Society of America Bulletin*, v. 95, p. 1035-1039.
- Winkler, W., 1984, Palaeocurrents and petrography of the Gurnigel-Schlieren flysch: a basin analysis: *Sedimentary Geology*, v. 40, p. 169-189.
- Yerino, L.N., and Maynard, J.B., 1984, Petrography of modern marine sands from the Peru-Chile Trench and adjacent areas: *Sedimentology*, v. 31, p. 83-89.
- Blatt, H., 1985, Provenance studies and mudrocks: *Journal of Sedimentary Petrology*, v. 55, p. 69-75.
- Bourgeois, J., and Dott, R.H., Jr., 1985, Stratigraphy and sedimentology of Upper Cretaceous rocks in coastal southwest Oregon: evidence for wrench-fault tectonics in a postulated accretionary terrane: *Geological Society of America Bulletin*, v. 96, p. 1007-1019.
- Busby-Spera, C., 1985, A sand-rich submarine fan in the lower Mesozoic Mineral King caldera complex, Sierra Nevada, California: *Journal of Sedimentary Petrology*, v. 55, p. 376-391.
- Garzanti, E., 1985, The sandstone memory of the evolution of a Triassic volcanic arc in the Southern Alps, Italy: *Sedimentology*, v. 32, p. 423-433.
- Girty, G.H., and Wardlaw, M.S., 1985, Petrology and provenance of pre-Late Devonian sandstones, Shoo Fly Complex, northern Sierra Nevada, California: *Geological Society of America Bulletin*, v. 96, p. 516-521.
- Girty, G.H., Reiland, D.N., and Wardlaw, M.S., 1985, Provenance of the Silurian Elder Sandstone, north-central Nevada: *Geological Society of America Bulletin*, v. 96, p. 925-930.
- Harding, L.E., and Coney, P.J., 1985, The geology of the McCoy Mountains Formation, southeastern California and southwestern Arizona: *Geological Society of America Bulletin*, v. 96, p. 755-769.
- Heller, P.L., Peterman, Z.E., O'Neil, J.R., and Shafiqullah, M., 1985, Isotopic provenance of sandstones from the Eocene Tyee Formation, Oregon Coast Range: *Geological Society of America Bulletin*, v. 96, p. 770-780.
- Imam, M.B., and Shaw, H.F., 1985, The diagenesis of Neogene clastic sediments from the Bengal basin, Bangladesh: *Journal of Sedimentary Petrology*, v. 55, p. 665-671.
- Kalliokoski, J., and Welch, E.J., 1985, Keweenaw-age caliche paleosol in the lower part of the Calumet and Hecla Conglomerate, Centennial mine, Calumet, Michigan: *Geological Society of America Bulletin*, v. 96, p. 1188-1193.
- Mack, G.H., 1985, Provenance of the Middle Ordovician Blount clastic wedge, Georgia and Tennessee: *Geology*, v. 13, p. 299-302.
- Morton, A.C., 1985, A new approach to provenance studies: electron microprobe analysis of detrital garnets from Middle Jurassic sandstones of the northern North Sea: *Sedimentology*, v. 32, p. 553-566.
- Morton, J.P., 1985, Rb-Sr dating of diagenesis and source age of

- clays in Upper Devonian black shales of Texas: Geological Society of America Bulletin, v. 96, p. 1043-1049.
- Neef, G., Plimer, I.R., and Bottrill, R.S., 1985, Submarine-fan deposited sandstone and rudite in a mid-Cenozoic interarc basin in Maewo, Vanuatu (New Hebrides): Sedimentology, v. 32, p. 519-542.
- Suczek, C.A., and Ingersoll, R.V., 1985, Petrology and provenance of Cenozoic sand from the Indus Cone and the Arabian Basin, DSDP sites 221, 222, and 224: Journal of Sedimentary Petrology, v. 55, p. 340-346.
- Trexler, J.H., Jr., and Bourgeois, J., 1985, Evidence for mid-Cretaceous wrench-faulting in the Methow basin, Washington: tectonostratigraphic setting of the Virginian Ridge Formation: Tectonics, v. 4, p. 379-394.
- Velbel, M.A., 1985, Mineralogically mature sandstones in accretionary prisms: Journal of Sedimentary Petrology, v. 55, p. 685-690.
- Zuffa, G.G.(ed.), 1985, Provenance of arenites: D. Reidel Publishing Co., several hundred pages.